



March 6, 2015

SOUTH COAST AQMD CN: 15279
CLERK OF THE BOARDS

Mr. Edwin L. Pupka
Senior Enforcement Manager
Office of Engineering and Compliance
South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765

15 MAR -6 P3:08

**PROJECT: EXIDE TECHNOLOGIES FACILITY ID NO. 124868,
ORDER OF ABATEMENT CASE NO. 3151-32**
RE: WEEKLY STATUS REPORT # 25 (2/26/15 – 3/4/15)

Dear Mr. Pupka,

Tetra Tech Inc. is pleased to present the following Weekly Status Report for the above referenced project. This report covers the period of February 26, 2015 through March 4, 2015.

CURRENT ACTIVITIES WHERE PREVIOUSLY APPROVED MITIGATION MEASURES WERE FULLY IMPLEMENTED

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where mitigation measures were observed to be implemented in full compliance with the previously approved mitigation measures under the Mitigation Plan for Construction of Risk Reduction Measures, RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD, at the site during this period include:

TASK ID	Major Work Item	Mitigation Measure(s)
2a	Dust Removal	Total Enclosure Building Under Negative Pressure
EX 43	West Yard Sump Piping	None Required
3c	Replacement of Blast Furnace Partial Enclosure	Total Enclosure Building Under Negative Pressure
5b	Blast Furnace Activities	Total Enclosure Building Under Negative Pressure
3a	Blast Furnace Tray Type Wet Scrubbing System Installation	Total Enclosure Building Under Negative Pressure
3g	Reverb Furnace Feed Modification	Total Enclosure Building Under Negative Pressure
3i	Installation of Rotary Dryer Regenerative Thermal Oxidizer	Total Enclosure Building Under Negative Pressure
EX 73	Stormwater Repair – 3 Manholes	Temporary Enclosure Under Negative Pressure*

Tetra Tech BAS, Inc.

1360 Valley Vista Drive, Diamond Bar, CA 91765
Tel 909.860.7777 Fax 909.860.8017 www.tetrattech.com

TASK ID	Major Work Item	Mitigation Measure(s)
EX 84	Repurposing of North Reverb Baghouse	Total Enclosure Building Under Negative Pressure
EX 86 / 3k	Installation of Blast RTO	Total Enclosure Building Under Negative Pressure
EX 88	Reverb Feed Room/ Corridor Floors	Total Enclosure Building Under Negative Pressure
EX 33	Building Negative Pressure Monitoring Upgrade	Use of Self Tapping Screws, Pre-Cleaning of Area
3b	Hard Lead System Ventilation Modification	Total Enclosure Building Under Negative Pressure
3f	Blast Furnace Slag Tap Ventilation Hood Modification	Total Enclosure Building Under Negative Pressure
EX83 / 4	RCRA RFI Soil Sampling	Temporary Enclosure Under Negative Pressure*
EX 92	Removal and Shipment of Reverb Feed	Total Enclosure Building Under Negative Pressure*

* Dust Trak monitoring performed for this work item.

Dust Removal

National Response Corporation (NRC) was onsite on Thursday, February 26, 2015, and Friday, February 27, 2015, to perform dust removal activities in the North Reverb Baghouse. NRC personnel used vacuum hoses connected to the vacuum truck to remove dust located inside of the baghouse enclosure. Dust removal activities within the North Reverb Baghouse will continue into the next reporting period.

NRC used a vacuum truck (Vehicle License No. 7M95594) which has a valid SCAQMD Various Locations Permit for lead abatement (Permit No. G33129 A/N 568775).

Tetra Tech personnel were onsite to monitor dust removal activities, verify permits for the vacuum truck, and dust disposal. Verification activities included:

- Visual observation of the dust removal process for fugitive dust within the Total Enclosure Building.
- Verification that the Total Enclosure Building was maintained under negative pressure and vented to operational air pollution control equipment.
- Verification that the SCAQMD Various Locations Permit was present for the vacuum truck HEPA vacuum and that filters were certified with a minimum efficiency of 99.97% for capture of 0.3 micron particles.
- Observation of the emptying of the vacuum truck to confirm that no fugitive dust was generated during the process.

West Yard Sump Piping

No work occurred on the West Yard Sump Piping during this reporting period. Exide is awaiting Department of Toxic Substances Control (DTSC) review and comment on proposed piping modification prior to completion of this task. This activity does not

require a temporary negative pressure enclosure because no work is being performed that has the potential to generate dust.

Blast Furnace Activities and Replacement of Blast Furnace Partial Enclosure

Advanced Construction resumed work in the Blast Furnace Partial Enclosure on Thursday, February 26, 2015, and continued installing the sheeting for the new Blast Furnace Partial Enclosure.

Tetra Tech personnel were onsite to observe the installation activities and housekeeping activities. Verification activities included:

- Verification that the Total Enclosure Building was maintained under negative pressure and vented to operational air pollution control equipment during all observed activities.
- Periodic visual observation of the installation activities to confirm compliance with the supplemental mitigation plan.

Blast Furnace Tray Type Wet Scrubbing System

Exide is coordinating scaffolding and temporary enclosure structural support, and installation of scaffolding to enclose the scrubber stack.

Tetra Tech personnel were onsite to observe the work. Verification activities included:

- Verification that the Total Enclosure Building was maintained under negative pressure and vented to operational air pollution control equipment during all observed activities.
- Periodic visual observation of the installation activities to confirm compliance with the mitigation plan

Reverb Furnace Feed Modification

No work occurred on the reverb furnace feed modification during this reporting period. Work will resume in the upcoming reporting period.

Installation of the Rotary Dryer Regenerative Thermal Oxidizer (RTO)

Advanced Construction and Baghouse Services continued installation activities on Thursday, February 26, 2015. Activities during this reporting period primarily included installation of gas and electric service for the RTO. Installation activities will continue into the next reporting period.

Tetra Tech personnel were onsite to observe operations. Verification activities included:

- Verification that the Total Enclosure Building was maintained under negative pressure and vented to operational air pollution control equipment during all observed activities.
- Observation of activities being performed using wet methods.

Stormwater Repair – 3 Manholes

Innovative Construction Solutions (ICS) has temporarily suspended repair activities and is currently evaluating repair alternatives for the manhole CL-14 location. Repair activities will resume once the repair alternative is determined.

Repurposing of North Reverb Bag House

NRC were onsite on Thursday February 26, 2015, and Friday February 27, 2015, to remove the dust from within the North Reverb Bag House. Baghouse Services began making repairs to North Reverb Bag House enclosure. Activities primarily included grinding and welding of seams requiring repair.

Verification activities included:

- Verification that the Total Enclosure Building was maintained under negative pressure and vented to operational air pollution control equipment during all observed activities.

Installation of Blast Furnace RTO

Advanced Construction continued installation activities on Thursday, February 26, 2015, for the installation of the new RTO for the Blast Furnace. Activities included installation of electrical and gas utilities and the setting of the new RTO components. Equipment installation will continue into the next reporting period.

Tetra Tech personnel were onsite to observe operations. Verification activities included:

- Verification that the Total Enclosure Building was maintained under negative pressure and vented to operational air pollution control equipment during all observed activities.

Reverb Feed Room/Corridor Floors

Advanced Construction continued maintenance of the reverb feed stockpiles.

Tetra Tech personnel were onsite to observe operations. Verification activities included:

- Verification that the Total Enclosure Building was maintained under negative pressure and vented to operational air pollution control equipment during all observed activities.

Building Negative Pressure Monitoring Upgrade

Southwest Industrial Electric continued installation activities on February 19, 2015. Activities included only debugging programming and wireless communication, no mounting of monitoring sensors was performed during this period. The negative pressure monitoring upgrades will continue into the next reporting period.

Hard Lead System Ventilation Modification

No work was performed on the Hard Lead System Ventilation Modification during this reporting period. Work will resume in the next reporting period.

Blast Furnace Slag Tap Ventilation Hood Modification

No work was performed on the Blast Furnace Slag Tap Ventilation Hood Modification during this reporting period. Work will resume in the next reporting period.

RCRA RFI Soil Sampling

Advanced Geo and their subcontractors Cascade Drilling and Avocet continued the RCRA RFI Soil Sampling on Thursday, February 26, 2015. Castlerock constructed additional temporary enclosures around the work areas that were maintained under negative pressure and vented to permitted HEPA filtration systems. Activities included coring through the asphalt, advancing a hand auger to a depth of 5 feet to verify utility clearance, advancing the boreholes to depths greater than 5 feet using a direct push rig and collection of soil samples. Soil and asphalt cuttings were placed into 55-gallon drums within a temporary enclosure. Sampling activities occurred at boring location TB-28D, TB-24D, TB-35D, and VP-1 during this reporting period. RCRA RFI Soil Sampling will continue into the next reporting period.

Verification activities included:

- Upwind and Downwind Dust Trak monitoring on the temporary enclosures when sampling activities were conducted within the enclosure, to monitor for fugitive dust emissions. Review of Dust Trak data did not indicate that work associated with the RCRA RFI Soil Sampling was generating fugitive dust emissions.
- Confirmation that negative pressure was maintained by checking the gauge on the temporary enclosures.
- Periodic visual inspection of the temporary enclosures to confirm that no visible leaks or tears were present, that the structural integrity of the enclosures were maintained and that they were under negative pressure and vented to a SCAQMD permitted HEPA filtration system. Any noted areas where seams needed to be re-taped were repaired by Castlerock prior to resuming work within the enclosures. Seams that needed re-taping were identified during the periodic inspection by Tetra Tech personnel or when a drop in negative pressure was noted. Any observed conditions requiring repair were addressed immediately.

Removal and Shipping of Reverb Feed

Exide began the removal and shipment of Reverb Feed on Wednesday, March 4, 2015. Exide inspected each "end dump" trailer as they arrived at the site to verify that they were in good working condition and met Exide's Pre-Loading Checklist requirements. Trailers that passed inspection were lined with a 6-mil polypropylene liners, ensuring that the liners were dimensioned adequately (length and width) to fashion a "burrito" type wrapping of the material after loading. Once lined, each trailer was driven into the total enclosure building and loaded; the feed material burrito wrapped and the secured with duct tape; the trailer covered with a tarp; and the truck and trailer decontaminated prior to exiting the Total Enclosure Building. During this reporting period a total of 3 loads of Reverb Feed were shipped to Exide's Munsee, Indiana facility for recycling. Removal and shipment of feed will continue into the next reporting period.

Verification activities included:

- Upwind and Downwind Dust Trak monitoring at the entrance/exit to the Total Enclosure Building. Review of Dust Trak data did not indicate that work associated with the removal and shipment of Reverb Feed was generating fugitive dust emissions when exiting the Total Enclosure Building.
- Confirmation that negative pressure was maintained by checking the gauge on the Total Enclosure Building.
- Visual observation of each phase of the removal and shipment of reverb feed including: the pre-loading inspection, installation of 6-mil poly lining, loading of reverb feed, sealing of the burrito wrap, placement of the tarp on the trailer, truck and trailer decontamination, and wheel wash.

CURRENT ACTIVITIES WHERE A DEVIATION FROM PREVIOUSLY APPROVED MITIGATION MEASURES WERE OBSERVED AND THE CORRECTIVE ACTIONS TAKEN

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where for each of the activities described below, mitigation measures were implemented which to some extent deviated from the previously approved mitigation measures under the Mitigation Plan for Construction of Risk Reducing Measures, RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD:

TASK ID	Major Work Item	Deviation(s)	CORRECTIVE ACTION
None			

In general accordance with the Order for Abatement Case No. 3151-32 Findings and Decision, air monitoring, if required, was conducted during a portion of all repair work performed within the temporary enclosures on a daily basis. If the results of continuous Dust Trak air monitoring detected excessive dust, additional suppression activities are required to be implemented. For this reporting period, Dust Trak monitoring did not detect excessive dust being generated from repair activities.

Activity Which Resulted in Excessive Dust	Additional Suppression Activity
None	None

WORKER SAFETY CONCERNS:

The following Health and Safety issues, as they apply to Tetra Tech employees, were observed during this reporting period:

- o None.

ACTUAL vs. FORECAST PROGRESS:

Exide Technologies submitted a schedule which outlines the tasks needed to be completed in response to this abatement order. The attached Gant Chart shows scheduled progress for all activities planned for the upcoming two week period. The following table shows the status of these activities.

TASK	STATUS
Dust Removal	Ongoing
West Yard Sump Piping	Ongoing - on hold
Replacement of Blast Furnace Partial Enclosure	Ongoing
Blast Furnace Activities	Ongoing
Blast Furnace Tray Type Wet Scrubbing System Installation	Ongoing
Reverb Furnace Feed Modification	Ongoing – on hold
Installation of Rotary Dryer Regenerative Thermal Oxidizer	Ongoing
Storm Water Repair – 3 Manholes	Ongoing – on hold
Repurposing of North Reverb Baghouse	Ongoing
Installation of Blast RTO	Ongoing
Reverb Feed Room/Corridor Floors	Ongoing
Building Negative Pressure Monitoring Upgrade	Ongoing
Hard Lead System Ventilation Hood Modification	Ongoing – on hold
Blast Furnace Slag Tap Ventilation Hood Modification	Ongoing – on hold
RCRA RFI Soil Sampling	Ongoing
Removal and Shipment of Reverb Feed	Started

WORK SCHEDULED DURING THE UPCOMING PERIOD:

The following activities are anticipated for the upcoming weeks:

Week	Anticipated Activities
Mar. 5 – Mar. 11	<ul style="list-style-type: none"> • Dust Removal Continues • West Yard Sump Piping On Hold • Replacement of Blast Furnace Partial Enclosure Continues • Blast Furnace Activities Continue • Blast Furnace Tray Type Wet Scrubbing System Installation Continues • Reverb Furnace Feed Modification Continues • Installation of Rotary Dryer Regenerative Thermal Oxidizer Continues • Storm Water Repair 3 Manholes Continues • Repurposing of North Reverb Baghouse Continues • Installation of Blast RTO Continues • Reverb Feedroom/Corridor Floors continues • Building Negative Pressure Upgrade Continues • Hard Lead System Ventilation Modification Continues • Blast Furnace Slag Tap Ventilation Hood Modification Continues • RCRA RFI Soil Sampling Continues • Removal and Shipment of Reverb Feed Continues • 2nd Round of Feed Room Floor Sampling Begins

Week	Anticipated Activities
Mar. 12 - Mar. 18	<ul style="list-style-type: none"> • Dust Removal Continues • West Yard Sump Piping On Hold • Replacement of Blast Furnace Partial Enclosure On-Hold • Blast Furnace Activities On-Hold • Blast Furnace Tray Type Wet Scrubbing System Installation Continues • Reverb Furnace Feed Modification On-Hold • Installation of Rotary Dryer Regenerative Thermal Oxidizer On-Hold • Storm Water Repair 3 Manholes Continues • Repurposing of North Reverb Baghouse On-Hold • Installation of Blast RTO On-Hold • Reverb Feedroom/Corridor Floors continues • Building Negative Pressure Upgrade Continues • Hard Lead System Ventilation Modification On-Hold • Blast Furnace Slag Tap Ventilation Hood Modification On-Hold • RCRA RFI Soil Sampling Continues • Removal and Shipment of Reverb Feed Continues • 2nd Round of Feed Room Floor Sampling Continues • Stormwater Repairs at Manhole B Begins

KEY MILESTONES:

The following key milestones were achieved during this reporting period:

- o Removal and Shipment of Reverb Feed - BEGAN

POTENTIAL CHANGES AND ACTION ITEMS REQUIRING RESOLUTION:

The following items require resolution:

- o None at this time.

SUMMARY:

The summary provided herein covers the activities for the period of February 26, 2015 through March 4, 2015. Please find attached a copy of Exide's upcoming two weeks schedule and site map identifying the location of the activities on the upcoming two weeks schedule.

Should you have questions regarding this report, or require additional information, please contact me at your earliest convenience.

Sincerely,



Nick Somogyi
Project Engineer

ATTACHMENTS:

Gant Chart Schedule
Site Map
Field Monitoring Data

Gant Chart Schedule


Site Map



Mitigation Project Map Layout
Week 2/26/15 – 3/18/15

Rev: 3/5/2015

- Ex43. West Yard Sump Piping*
 - 2a. Dust Removal*
 - Ex73. Stormwater Repair – 3 Manholes*
 - Ex33. Building Negative Pressure Monitoring Upgrade*
 - 4. RCRA RFI Soil Sampling*
 - Ex83. RFI Soil Sampling Supplemental*
 - Ex72. Cleaning of Assorted Materials in Total Enclosure*
 - Ex76. Various Work Methods in Total Enclosure*
 - 5b. Blast Furnace Activities*
 - 3a. Blast Furnace Tray Type Wet Scrubbing System Installation*
 - Ex84. Repurposing of North Reverb Baghouse*
 - 3c. Replacement of Blast Furnace Partial Enclosure*
 - 3i. Installation of Rotary Dryer Regenerative Thermal Oxidizer*
 - Ex86 / 3k. Installation of Blast RTO*
 - 3b. Hard Lead System Ventilation Modification*
 - 3g. Reverb Furnace Feed Modification*
 - 3f. Blast Furnace Slag Tap Ventilation Hood Modification*
 - Ex92. Removal & Shipment of Reverb Feed*
 - Ex89. Stormwater Repairs at Manhole B*
 - Ex94. 2nd Round Feed Room Soil Sampling*
- Numbering system correlates with Mitigation plan document. Ex refers to additional work part of Sec. 6b in the Mitigation plan document.*
- Mitigation Schedule and Map_030515.pptx*



Monitoring Results / Reports
(Thursday, February 26, 2015)

ACTIVITY	SERIAL NUMBER	LOCATION
EX-83 RCRA RFI Soil Sampling (VP-1)	8530132205	UPWIND
EX-83 RCRA RFI Soil Sampling (VP-1)	8530100906	DOWNWIND
EX-83 RCRA RFI Soil Sampling (VP-1)	8533132902	DOWNWIND



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

2/26/2015 Work Area EX-83

Test 074

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/26/2015
Instrument S/N	8530100906	Start Time	08:36:05
		Stop Date	02/26/2015
		Stop Time	11:36:05
		Total Time	0:03:00:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	02/26/2015	08:51:05	0.058
2	02/26/2015	09:06:05	0.070
3	02/26/2015	09:21:05	0.071
4	02/26/2015	09:36:05	0.069
5	02/26/2015	09:51:05	0.070
6	02/26/2015	10:06:05	0.068
7	02/26/2015	10:21:05	0.067
8	02/26/2015	10:36:05	0.064
9	02/26/2015	10:51:05	0.062
10	02/26/2015	11:06:05	0.063
11	02/26/2015	11:21:05	0.069
12	02/26/2015	11:36:05	0.065

Test 032

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/26/2015
Instrument S/N	8530132205	Start Time	08:42:40
		Stop Date	02/26/2015
		Stop Time	21:27:40
		Total Time	0:12:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	02/26/2015	08:57:40	0.088
2	02/26/2015	09:12:40	0.098
3	02/26/2015	09:27:40	0.096
4	02/26/2015	09:42:40	0.091
5	02/26/2015	09:57:40	0.095
6	02/26/2015	10:12:40	0.091
7	02/26/2015	10:27:40	0.090
8	02/26/2015	10:42:40	0.087
9	02/26/2015	10:57:40	0.081
10	02/26/2015	11:12:40	0.087
11	02/26/2015	11:27:40	0.092
12	02/26/2015	11:42:40	0.089
13	02/26/2015	11:57:40	0.086
14	02/26/2015	12:12:40	0.082
15	02/26/2015	12:27:40	0.084
16	02/26/2015	12:42:40	0.072
17	02/26/2015	12:57:40	0.076
18	02/26/2015	13:12:40	0.078
19	02/26/2015	13:27:40	0.086
20	02/26/2015	13:42:40	0.095
21	02/26/2015	13:57:40	0.101
22	02/26/2015	14:12:40	0.084
23	02/26/2015	14:27:40	0.072
24	02/26/2015	14:42:40	0.066
25	02/26/2015	14:57:40	0.066
26	02/26/2015	15:12:40	0.070
27	02/26/2015	15:27:40	0.069
28	02/26/2015	15:42:40	0.062
29	02/26/2015	15:57:40	0.061
30	02/26/2015	16:12:40	0.058
31	02/26/2015	16:27:40	0.047
32	02/26/2015	16:42:40	0.042
33	02/26/2015	16:57:40	0.036
34	02/26/2015	17:12:40	0.035

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
35	02/26/2015	17:27:40	0.032
36	02/26/2015	17:42:40	0.031
37	02/26/2015	17:57:40	0.029
38	02/26/2015	18:12:40	0.030
39	02/26/2015	18:27:40	0.030
40	02/26/2015	18:42:40	0.032
41	02/26/2015	18:57:40	0.030
42	02/26/2015	19:12:40	0.032
43	02/26/2015	19:27:40	0.034
44	02/26/2015	19:42:40	0.035
45	02/26/2015	19:57:40	0.034
46	02/26/2015	20:12:40	0.042
47	02/26/2015	20:27:40	0.047
48	02/26/2015	20:42:40	0.049
49	02/26/2015	20:57:40	0.062
50	02/26/2015	21:12:40	0.050
51	02/26/2015	21:27:40	0.046

Test 065

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/26/2015
Instrument S/N	8533132902	Start Time	11:49:31
		Stop Date	02/27/2015
		Stop Time	13:19:31
		Total Time	1:01:30:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/26/2015	12:04:31	0.057	0.059	0.060	0.062	0.062
2	02/26/2015	12:19:31	0.059	0.061	0.062	0.064	0.064
3	02/26/2015	12:34:31	0.055	0.057	0.058	0.060	0.060
4	02/26/2015	12:49:31	0.047	0.049	0.050	0.051	0.051
5	02/26/2015	13:04:31	0.053	0.055	0.056	0.057	0.058
6	02/26/2015	13:19:31	0.057	0.059	0.060	0.061	0.061
7	02/26/2015	13:34:31	0.063	0.066	0.067	0.068	0.068
8	02/26/2015	13:49:31	0.068	0.070	0.071	0.073	0.073
9	02/26/2015	14:04:31	0.065	0.068	0.069	0.071	0.071
10	02/26/2015	14:19:31	0.053	0.056	0.058	0.059	0.059
11	02/26/2015	14:34:31	0.043	0.046	0.048	0.049	0.049
12	02/26/2015	14:49:31	0.043	0.046	0.048	0.049	0.049
13	02/26/2015	15:04:31	0.044	0.047	0.049	0.050	0.050
14	02/26/2015	15:19:31	0.048	0.051	0.052	0.054	0.054
15	02/26/2015	15:34:31	0.043	0.046	0.047	0.048	0.048
16	02/26/2015	15:49:31	0.041	0.044	0.045	0.046	0.046
17	02/26/2015	16:04:31	0.039	0.042	0.043	0.044	0.044
18	02/26/2015	16:19:31	0.036	0.039	0.040	0.041	0.041
19	02/26/2015	16:34:31	0.028	0.031	0.032	0.033	0.033
20	02/26/2015	16:49:31	0.024	0.026	0.027	0.028	0.028
21	02/26/2015	17:04:31	0.022	0.025	0.026	0.027	0.027
22	02/26/2015	17:19:31	0.020	0.023	0.024	0.025	0.025
23	02/26/2015	17:34:31	0.019	0.021	0.022	0.023	0.023
24	02/26/2015	17:49:31	0.018	0.020	0.021	0.022	0.022
25	02/26/2015	18:04:31	0.018	0.020	0.021	0.022	0.022
26	02/26/2015	18:19:31	0.018	0.021	0.022	0.023	0.023
27	02/26/2015	18:34:31	0.019	0.021	0.022	0.023	0.023
28	02/26/2015	18:49:31	0.019	0.021	0.022	0.023	0.023
29	02/26/2015	19:04:31	0.019	0.022	0.023	0.023	0.023
30	02/26/2015	19:19:31	0.019	0.022	0.023	0.024	0.024
31	02/26/2015	19:34:31	0.022	0.025	0.026	0.027	0.027
32	02/26/2015	19:49:31	0.021	0.024	0.025	0.026	0.026
33	02/26/2015	20:04:31	0.021	0.025	0.026	0.026	0.026
34	02/26/2015	20:19:31	0.029	0.033	0.034	0.035	0.035

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
35	02/26/2015	20:34:31	0.027	0.030	0.031	0.032	0.033
36	02/26/2015	20:49:31	0.034	0.037	0.038	0.039	0.039
37	02/26/2015	21:04:31	0.035	0.038	0.039	0.040	0.040
38	02/26/2015	21:19:31	0.048	0.052	0.053	0.054	0.054
39	02/26/2015	21:34:31	0.033	0.037	0.039	0.040	0.040
40	02/26/2015	21:49:31	0.029	0.033	0.035	0.036	0.036
41	02/26/2015	22:04:31	0.032	0.036	0.038	0.039	0.039
42	02/26/2015	22:19:31	0.030	0.034	0.036	0.037	0.037
43	02/26/2015	22:34:31	0.031	0.036	0.038	0.039	0.039
44	02/26/2015	22:49:31	0.036	0.040	0.042	0.043	0.043
45	02/26/2015	23:04:31	0.035	0.039	0.041	0.042	0.042
46	02/26/2015	23:19:31	0.038	0.043	0.045	0.046	0.046
47	02/26/2015	23:34:31	0.038	0.043	0.044	0.045	0.045
48	02/26/2015	23:49:31	0.031	0.036	0.038	0.039	0.039
49	02/27/2015	00:04:31	0.031	0.036	0.037	0.039	0.039
50	02/27/2015	00:19:31	0.030	0.034	0.036	0.037	0.037
51	02/27/2015	00:34:31	0.030	0.034	0.036	0.037	0.037
52	02/27/2015	00:49:31	0.030	0.035	0.037	0.038	0.038
53	02/27/2015	01:04:31	0.031	0.036	0.038	0.040	0.040
54	02/27/2015	01:19:31	0.034	0.039	0.041	0.042	0.042
55	02/27/2015	01:34:31	0.035	0.039	0.041	0.043	0.043
56	02/27/2015	01:49:31	0.031	0.036	0.037	0.039	0.039
57	02/27/2015	02:04:31	0.030	0.034	0.036	0.037	0.037
58	02/27/2015	02:19:31	0.032	0.036	0.038	0.039	0.039
59	02/27/2015	02:34:31	0.032	0.036	0.038	0.039	0.039
60	02/27/2015	02:49:31	0.034	0.038	0.039	0.040	0.040
61	02/27/2015	03:04:31	0.033	0.037	0.038	0.039	0.039
62	02/27/2015	03:19:31	0.023	0.028	0.029	0.029	0.029
63	02/27/2015	09:58:56	0.000	0.000	0.000	0.000	0.000
64	02/27/2015	10:04:31	0.031	0.035	0.037	0.047	0.054
65	02/27/2015	10:19:31	0.045	0.049	0.051	0.058	0.060
66	02/27/2015	10:34:31	0.031	0.034	0.036	0.040	0.041
67	02/27/2015	10:49:31	0.027	0.030	0.031	0.037	0.039
68	02/27/2015	11:04:31	0.025	0.028	0.029	0.033	0.034
69	02/27/2015	11:19:31	0.023	0.026	0.027	0.033	0.033
70	02/27/2015	11:34:31	0.033	0.036	0.039	0.058	0.061
71	02/27/2015	11:49:31	0.034	0.037	0.040	0.058	0.061
72	02/27/2015	12:04:31	0.032	0.035	0.038	0.051	0.053
73	02/27/2015	12:19:31	0.048	0.052	0.054	0.077	0.084
74	02/27/2015	12:34:31	0.026	0.028	0.030	0.036	0.037
75	02/27/2015	12:49:31	0.026	0.029	0.030	0.035	0.036
76	02/27/2015	13:04:31	0.025	0.027	0.028	0.031	0.032
77	02/27/2015	13:19:31	0.028	0.030	0.031	0.037	0.039

Monitoring Results / Reports
(Friday, February 27, 2015)

ACTIVITY	SERIAL NUMBER	LOCATION
EX-83 RCRA RFI Soil Sampling (VP-1)	8530124903	UPWIND
EX-83 RCRA RFI Soil Sampling (VP-1)	8530104301	DOWNWIND



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

2/27/2015 Work Area EX-83

Test 002

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/27/2015
Instrument S/N	8530104301	Start Time	10:48:22
		Stop Date	02/27/2015
		Stop Time	11:51:22
		Total Time	0:01:03:00
		Logging Interval	60 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	02/27/2015	10:49:22	0.036
2	02/27/2015	10:50:22	0.032
3	02/27/2015	10:51:22	0.033
4	02/27/2015	10:52:22	0.036
5	02/27/2015	10:53:22	0.031
6	02/27/2015	10:54:22	0.033
7	02/27/2015	10:55:22	0.040
8	02/27/2015	10:56:22	0.041
9	02/27/2015	10:57:22	0.038
10	02/27/2015	10:58:22	0.036
11	02/27/2015	10:59:22	0.036
12	02/27/2015	11:00:22	0.035
13	02/27/2015	11:01:22	0.034
14	02/27/2015	11:02:22	0.034
15	02/27/2015	11:03:22	0.035
16	02/27/2015	11:04:22	0.033
17	02/27/2015	11:05:22	0.035
18	02/27/2015	11:06:22	0.034
19	02/27/2015	11:07:22	0.034
20	02/27/2015	11:08:22	0.033
21	02/27/2015	11:09:22	0.034
22	02/27/2015	11:10:22	0.035
23	02/27/2015	11:11:22	0.034
24	02/27/2015	11:12:22	0.036
25	02/27/2015	11:13:22	0.036
26	02/27/2015	11:14:22	0.036
27	02/27/2015	11:15:22	0.037
28	02/27/2015	11:16:22	0.039
29	02/27/2015	11:17:22	0.042
30	02/27/2015	11:18:22	0.040
31	02/27/2015	11:19:22	0.037
32	02/27/2015	11:20:22	0.038
33	02/27/2015	11:21:22	0.040
34	02/27/2015	11:22:22	0.040

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
35	02/27/2015	11:23:22	0.042
36	02/27/2015	11:24:22	0.041
37	02/27/2015	11:25:22	0.039
38	02/27/2015	11:26:22	0.040
39	02/27/2015	11:27:22	0.038
40	02/27/2015	11:28:22	0.040
41	02/27/2015	11:29:22	0.040
42	02/27/2015	11:30:22	0.043
43	02/27/2015	11:31:22	0.045
44	02/27/2015	11:32:22	0.043
45	02/27/2015	11:33:22	0.040
46	02/27/2015	11:34:22	0.041
47	02/27/2015	11:35:22	0.040
48	02/27/2015	11:36:22	0.040
49	02/27/2015	11:37:22	0.039
50	02/27/2015	11:38:22	0.041
51	02/27/2015	11:39:22	0.043
52	02/27/2015	11:40:22	0.033
53	02/27/2015	11:41:22	0.023
54	02/27/2015	11:42:22	0.039
55	02/27/2015	11:43:22	0.056
56	02/27/2015	11:44:22	0.027
57	02/27/2015	11:45:22	0.026
58	02/27/2015	11:46:22	0.033
59	02/27/2015	11:47:22	0.053
60	02/27/2015	11:48:22	0.035
61	02/27/2015	11:49:22	0.026
62	02/27/2015	11:50:22	0.032
63	02/27/2015	11:51:22	0.031

Test 003

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/27/2015
Instrument S/N	8530104301	Start Time	14:47:56
		Stop Date	02/27/2015
		Stop Time	15:33:56
		Total Time	0:00:46:00
		Logging Interval	60 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	02/27/2015	14:48:56	0.042
2	02/27/2015	14:49:56	0.047
3	02/27/2015	14:50:56	0.048
4	02/27/2015	14:51:56	0.043
5	02/27/2015	14:52:56	0.045
6	02/27/2015	14:53:56	0.043
7	02/27/2015	14:54:56	0.046
8	02/27/2015	14:55:56	0.045
9	02/27/2015	14:56:56	0.047
10	02/27/2015	14:57:56	0.048
11	02/27/2015	14:58:56	0.047
12	02/27/2015	14:59:56	0.048
13	02/27/2015	15:00:56	0.046
14	02/27/2015	15:01:56	0.047
15	02/27/2015	15:02:56	0.052
16	02/27/2015	15:03:56	0.051
17	02/27/2015	15:04:56	0.052
18	02/27/2015	15:05:56	0.046
19	02/27/2015	15:06:56	0.043
20	02/27/2015	15:07:56	0.045
21	02/27/2015	15:08:56	0.043
22	02/27/2015	15:09:56	0.043
23	02/27/2015	15:10:56	0.041
24	02/27/2015	15:11:56	0.043
25	02/27/2015	15:12:56	0.054
26	02/27/2015	15:13:56	0.046
27	02/27/2015	15:14:56	0.044
28	02/27/2015	15:15:56	0.053
29	02/27/2015	15:16:56	0.055
30	02/27/2015	15:17:56	0.043
31	02/27/2015	15:18:56	0.042
32	02/27/2015	15:19:56	0.042
33	02/27/2015	15:20:56	0.043
34	02/27/2015	15:21:56	0.041

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
35	02/27/2015	15:22:56	0.036
36	02/27/2015	15:23:56	0.028
37	02/27/2015	15:24:56	0.023
38	02/27/2015	15:25:56	0.021
39	02/27/2015	15:26:56	0.033
40	02/27/2015	15:27:56	0.051
41	02/27/2015	15:28:56	0.032
42	02/27/2015	15:29:56	0.040
43	02/27/2015	15:30:56	0.016
44	02/27/2015	15:31:56	0.021
45	02/27/2015	15:32:56	0.022
46	02/27/2015	15:33:56	0.030

Test 001

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/27/2015
Instrument S/N	8530124903	Start Time	07:34:24
		Stop Date	02/27/2015
		Stop Time	16:18:24
		Total Time	0:08:44:00
		Logging Interval	60 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	02/27/2015	07:35:24	0.052
2	02/27/2015	07:36:24	0.054
3	02/27/2015	07:37:24	0.052
4	02/27/2015	07:38:24	0.055
5	02/27/2015	07:39:24	0.053
6	02/27/2015	07:40:24	0.049
7	02/27/2015	07:41:24	0.048
8	02/27/2015	07:42:24	0.047
9	02/27/2015	07:43:24	0.047
10	02/27/2015	07:44:24	0.046
11	02/27/2015	07:45:24	0.046
12	02/27/2015	07:46:24	0.051
13	02/27/2015	07:47:24	0.048
14	02/27/2015	07:48:24	0.046
15	02/27/2015	07:49:24	0.043
16	02/27/2015	07:50:24	0.044
17	02/27/2015	07:51:24	0.043
18	02/27/2015	07:52:24	0.044
19	02/27/2015	07:53:24	0.043
20	02/27/2015	07:54:24	0.043
21	02/27/2015	07:55:24	0.049
22	02/27/2015	07:56:24	0.050
23	02/27/2015	07:57:24	0.053
24	02/27/2015	07:58:24	0.043
25	02/27/2015	07:59:24	0.041
26	02/27/2015	08:00:24	0.041
27	02/27/2015	08:01:24	0.041
28	02/27/2015	08:02:24	0.047
29	02/27/2015	08:03:24	0.042
30	02/27/2015	08:04:24	0.037
31	02/27/2015	08:05:24	0.039
32	02/27/2015	08:06:24	0.038
33	02/27/2015	08:07:24	0.039
34	02/27/2015	08:08:24	0.038
35	02/27/2015	08:09:24	0.037

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
36	02/27/2015	08:10:24	0.036
37	02/27/2015	08:11:24	0.041
38	02/27/2015	08:12:24	0.043
39	02/27/2015	08:13:24	0.044
40	02/27/2015	08:14:24	0.048
41	02/27/2015	08:15:24	0.058
42	02/27/2015	08:16:24	0.048
43	02/27/2015	08:17:24	0.042
44	02/27/2015	08:18:24	0.050
45	02/27/2015	08:19:24	0.041
46	02/27/2015	08:20:24	0.035
47	02/27/2015	08:21:24	0.039
48	02/27/2015	08:22:24	0.040
49	02/27/2015	08:23:24	0.038
50	02/27/2015	08:24:24	0.038
51	02/27/2015	08:25:24	0.038
52	02/27/2015	08:26:24	0.038
53	02/27/2015	08:27:24	0.042
54	02/27/2015	08:28:24	0.038
55	02/27/2015	08:29:24	0.036
56	02/27/2015	08:30:24	0.035
57	02/27/2015	08:31:24	0.037
58	02/27/2015	08:32:24	0.049
59	02/27/2015	08:33:24	0.045
60	02/27/2015	08:34:24	0.040
61	02/27/2015	08:35:24	0.039
62	02/27/2015	08:36:24	0.038
63	02/27/2015	08:37:24	0.038
64	02/27/2015	08:38:24	0.036
65	02/27/2015	08:39:24	0.036
66	02/27/2015	08:40:24	0.039
67	02/27/2015	08:41:24	0.033
68	02/27/2015	08:42:24	0.037
69	02/27/2015	08:43:24	0.037
70	02/27/2015	08:44:24	0.036
71	02/27/2015	08:45:24	0.036
72	02/27/2015	08:46:24	0.042
73	02/27/2015	08:47:24	0.044
74	02/27/2015	08:48:24	0.037
75	02/27/2015	08:49:24	0.037
76	02/27/2015	08:50:24	0.040
77	02/27/2015	08:51:24	0.041
78	02/27/2015	08:52:24	0.044
79	02/27/2015	08:53:24	0.048
80	02/27/2015	08:54:24	0.042
81	02/27/2015	08:55:24	0.036

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
82	02/27/2015	08:56:24	0.041
83	02/27/2015	08:57:24	0.041
84	02/27/2015	08:58:24	0.037
85	02/27/2015	08:59:24	0.039
86	02/27/2015	09:00:24	0.042
87	02/27/2015	09:01:24	0.044
88	02/27/2015	09:02:24	0.048
89	02/27/2015	09:03:24	0.044
90	02/27/2015	09:04:24	0.045
91	02/27/2015	09:05:24	0.044
92	02/27/2015	09:06:24	0.038
93	02/27/2015	09:07:24	0.041
94	02/27/2015	09:08:24	0.040
95	02/27/2015	09:09:24	0.040
96	02/27/2015	09:10:24	0.042
97	02/27/2015	09:11:24	0.044
98	02/27/2015	09:12:24	0.042
99	02/27/2015	09:13:24	0.044
100	02/27/2015	09:14:24	0.046
101	02/27/2015	09:15:24	0.046
102	02/27/2015	09:16:24	0.048
103	02/27/2015	09:17:24	0.045
104	02/27/2015	09:18:24	0.043
105	02/27/2015	09:19:24	0.044
106	02/27/2015	09:20:24	0.057
107	02/27/2015	09:21:24	0.052
108	02/27/2015	09:22:24	0.044
109	02/27/2015	09:23:24	0.041
110	02/27/2015	09:24:24	0.042
111	02/27/2015	09:25:24	0.044
112	02/27/2015	09:26:24	0.044
113	02/27/2015	09:27:24	0.044
114	02/27/2015	09:28:24	0.044
115	02/27/2015	09:29:24	0.045
116	02/27/2015	09:30:24	0.046
117	02/27/2015	09:31:24	0.042
118	02/27/2015	09:32:24	0.044
119	02/27/2015	09:33:24	0.041
120	02/27/2015	09:34:24	0.041
121	02/27/2015	09:35:24	0.040
122	02/27/2015	09:36:24	0.040
123	02/27/2015	09:37:24	0.041
124	02/27/2015	09:38:24	0.046
125	02/27/2015	09:39:24	0.045
126	02/27/2015	09:40:24	0.042
127	02/27/2015	09:41:24	0.041

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
128	02/27/2015	09:42:24	0.039
129	02/27/2015	09:43:24	0.038
130	02/27/2015	09:44:24	0.037
131	02/27/2015	09:45:24	0.034
132	02/27/2015	09:46:24	0.031
133	02/27/2015	09:47:24	0.031
134	02/27/2015	09:48:24	0.032
135	02/27/2015	09:49:24	0.032
136	02/27/2015	09:50:24	0.033
137	02/27/2015	09:51:24	0.033
138	02/27/2015	09:52:24	0.035
139	02/27/2015	09:53:24	0.031
140	02/27/2015	09:54:24	0.034
141	02/27/2015	09:55:24	0.032
142	02/27/2015	09:56:24	0.033
143	02/27/2015	09:57:24	0.033
144	02/27/2015	09:58:24	0.034
145	02/27/2015	09:59:24	0.032
146	02/27/2015	10:00:24	0.032
147	02/27/2015	10:01:24	0.034
148	02/27/2015	10:02:24	0.034
149	02/27/2015	10:03:24	0.043
150	02/27/2015	10:04:24	0.038
151	02/27/2015	10:05:24	0.034
152	02/27/2015	10:06:24	0.032
153	02/27/2015	10:07:24	0.032
154	02/27/2015	10:08:24	0.033
155	02/27/2015	10:09:24	0.033
156	02/27/2015	10:10:24	0.038
157	02/27/2015	10:11:24	0.038
158	02/27/2015	10:12:24	0.036
159	02/27/2015	10:13:24	0.038
160	02/27/2015	10:14:24	0.036
161	02/27/2015	10:15:24	0.034
162	02/27/2015	10:16:24	0.035
163	02/27/2015	10:17:24	0.034
164	02/27/2015	10:18:24	0.032
165	02/27/2015	10:19:24	0.035
166	02/27/2015	10:20:24	0.032
167	02/27/2015	10:21:24	0.031
168	02/27/2015	10:22:24	0.030
169	02/27/2015	10:23:24	0.031
170	02/27/2015	10:24:24	0.032
171	02/27/2015	10:25:24	0.036
172	02/27/2015	10:26:24	0.033
173	02/27/2015	10:27:24	0.031

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
174	02/27/2015	10:28:24	0.031
175	02/27/2015	10:29:24	0.032
176	02/27/2015	10:30:24	0.032
177	02/27/2015	10:31:24	0.032
178	02/27/2015	10:32:24	0.033
179	02/27/2015	10:33:24	0.031
180	02/27/2015	10:34:24	0.031
181	02/27/2015	10:35:24	0.033
182	02/27/2015	10:36:24	0.031
183	02/27/2015	10:37:24	0.030
184	02/27/2015	10:38:24	0.030
185	02/27/2015	10:39:24	0.031
186	02/27/2015	10:40:24	0.031
187	02/27/2015	10:41:24	0.031
188	02/27/2015	10:42:24	0.031
189	02/27/2015	10:43:24	0.031
190	02/27/2015	10:44:24	0.031
191	02/27/2015	10:45:24	0.032
192	02/27/2015	10:46:24	0.031
193	02/27/2015	10:47:24	0.031
194	02/27/2015	10:48:24	0.032
195	02/27/2015	10:49:24	0.032
196	02/27/2015	10:50:24	0.032
197	02/27/2015	10:51:24	0.032
198	02/27/2015	10:52:24	0.034
199	02/27/2015	10:53:24	0.032
200	02/27/2015	10:54:24	0.032
201	02/27/2015	10:55:24	0.033
202	02/27/2015	10:56:24	0.036
203	02/27/2015	10:57:24	0.036
204	02/27/2015	10:58:24	0.035
205	02/27/2015	10:59:24	0.034
206	02/27/2015	11:00:24	0.034
207	02/27/2015	11:01:24	0.034
208	02/27/2015	11:02:24	0.034
209	02/27/2015	11:03:24	0.033
210	02/27/2015	11:04:24	0.034
211	02/27/2015	11:05:24	0.033
212	02/27/2015	11:06:24	0.034
213	02/27/2015	11:07:24	0.034
214	02/27/2015	11:08:24	0.034
215	02/27/2015	11:09:24	0.033
216	02/27/2015	11:10:24	0.033
217	02/27/2015	11:11:24	0.033
218	02/27/2015	11:12:24	0.034
219	02/27/2015	11:13:24	0.034

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
220	02/27/2015	11:14:24	0.033
221	02/27/2015	11:15:24	0.034
222	02/27/2015	11:16:24	0.036
223	02/27/2015	11:17:24	0.038
224	02/27/2015	11:18:24	0.038
225	02/27/2015	11:19:24	0.036
226	02/27/2015	11:20:24	0.035
227	02/27/2015	11:21:24	0.037
228	02/27/2015	11:22:24	0.038
229	02/27/2015	11:23:24	0.037
230	02/27/2015	11:24:24	0.038
231	02/27/2015	11:25:24	0.037
232	02/27/2015	11:26:24	0.038
233	02/27/2015	11:27:24	0.038
234	02/27/2015	11:28:24	0.038
235	02/27/2015	11:29:24	0.037
236	02/27/2015	11:30:24	0.040
237	02/27/2015	11:31:24	0.040
238	02/27/2015	11:32:24	0.043
239	02/27/2015	11:33:24	0.039
240	02/27/2015	11:34:24	0.039
241	02/27/2015	11:35:24	0.039
242	02/27/2015	11:36:24	0.038
243	02/27/2015	11:37:24	0.038
244	02/27/2015	11:38:24	0.038
245	02/27/2015	11:39:24	0.039
246	02/27/2015	11:40:24	0.040
247	02/27/2015	11:41:24	0.039
248	02/27/2015	11:42:24	0.040
249	02/27/2015	11:43:24	0.041
250	02/27/2015	11:44:24	0.042
251	02/27/2015	11:45:24	0.042
252	02/27/2015	11:46:24	0.045
253	02/27/2015	11:47:24	0.045
254	02/27/2015	11:48:24	0.047
255	02/27/2015	11:49:24	0.042
256	02/27/2015	11:50:24	0.042
257	02/27/2015	11:51:24	0.041
258	02/27/2015	11:52:24	0.041
259	02/27/2015	11:53:24	0.042
260	02/27/2015	11:54:24	0.049
261	02/27/2015	11:55:24	0.042
262	02/27/2015	11:56:24	0.041
263	02/27/2015	11:57:24	0.042
264	02/27/2015	11:58:24	0.044
265	02/27/2015	11:59:24	0.046

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
266	02/27/2015	12:00:24	0.045
267	02/27/2015	12:01:24	0.045
268	02/27/2015	12:02:24	0.043
269	02/27/2015	12:03:24	0.042
270	02/27/2015	12:04:24	0.042
271	02/27/2015	12:05:24	0.041
272	02/27/2015	12:06:24	0.042
273	02/27/2015	12:07:24	0.044
274	02/27/2015	12:08:24	0.043
275	02/27/2015	12:09:24	0.042
276	02/27/2015	12:10:24	0.042
277	02/27/2015	12:11:24	0.042
278	02/27/2015	12:12:24	0.043
279	02/27/2015	12:13:24	0.041
280	02/27/2015	12:14:24	0.041
281	02/27/2015	12:15:24	0.040
282	02/27/2015	12:16:24	0.042
283	02/27/2015	12:17:24	0.043
284	02/27/2015	12:18:24	0.044
285	02/27/2015	12:19:24	0.045
286	02/27/2015	12:20:24	0.047
287	02/27/2015	12:21:24	0.047
288	02/27/2015	12:22:24	0.044
289	02/27/2015	12:23:24	0.046
290	02/27/2015	12:24:24	0.049
291	02/27/2015	12:25:24	0.044
292	02/27/2015	12:26:24	0.042
293	02/27/2015	12:27:24	0.043
294	02/27/2015	12:28:24	0.042
295	02/27/2015	12:29:24	0.042
296	02/27/2015	12:30:24	0.042
297	02/27/2015	12:31:24	0.042
298	02/27/2015	12:32:24	0.042
299	02/27/2015	12:33:24	0.044
300	02/27/2015	12:34:24	0.043
301	02/27/2015	12:35:24	0.043
302	02/27/2015	12:36:24	0.041
303	02/27/2015	12:37:24	0.044
304	02/27/2015	12:38:24	0.046
305	02/27/2015	12:39:24	0.044
306	02/27/2015	12:40:24	0.043
307	02/27/2015	12:41:24	0.043
308	02/27/2015	12:42:24	0.043
309	02/27/2015	12:43:24	0.042
310	02/27/2015	12:44:24	0.041
311	02/27/2015	12:45:24	0.042

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
312	02/27/2015	12:46:24	0.042
313	02/27/2015	12:47:24	0.043
314	02/27/2015	12:48:24	0.042
315	02/27/2015	12:49:24	0.042
316	02/27/2015	12:50:24	0.042
317	02/27/2015	12:51:24	0.040
318	02/27/2015	12:52:24	0.041
319	02/27/2015	12:53:24	0.045
320	02/27/2015	12:54:24	0.049
321	02/27/2015	12:55:24	0.046
322	02/27/2015	12:56:24	0.046
323	02/27/2015	12:57:24	0.052
324	02/27/2015	12:58:24	0.054
325	02/27/2015	12:59:24	0.052
326	02/27/2015	13:00:24	0.046
327	02/27/2015	13:01:24	0.043
328	02/27/2015	13:02:24	0.044
329	02/27/2015	13:03:24	0.041
330	02/27/2015	13:04:24	0.041
331	02/27/2015	13:05:24	0.044
332	02/27/2015	13:06:24	0.046
333	02/27/2015	13:07:24	0.045
334	02/27/2015	13:08:24	0.043
335	02/27/2015	13:09:24	0.044
336	02/27/2015	13:10:24	0.045
337	02/27/2015	13:11:24	0.045
338	02/27/2015	13:12:24	0.041
339	02/27/2015	13:13:24	0.042
340	02/27/2015	13:14:24	0.043
341	02/27/2015	13:15:24	0.042
342	02/27/2015	13:16:24	0.039
343	02/27/2015	13:17:24	0.040
344	02/27/2015	13:18:24	0.039
345	02/27/2015	13:19:24	0.039
346	02/27/2015	13:20:24	0.039
347	02/27/2015	13:21:24	0.039
348	02/27/2015	13:22:24	0.039
349	02/27/2015	13:23:24	0.037
350	02/27/2015	13:24:24	0.039
351	02/27/2015	13:25:24	0.038
352	02/27/2015	13:26:24	0.038
353	02/27/2015	13:27:24	0.038
354	02/27/2015	13:28:24	0.038
355	02/27/2015	13:29:24	0.042
356	02/27/2015	13:30:24	0.039
357	02/27/2015	13:31:24	0.038

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
358	02/27/2015	13:32:24	0.038
359	02/27/2015	13:33:24	0.038
360	02/27/2015	13:34:24	0.038
361	02/27/2015	13:35:24	0.042
362	02/27/2015	13:36:24	0.042
363	02/27/2015	13:37:24	0.040
364	02/27/2015	13:38:24	0.038
365	02/27/2015	13:39:24	0.038
366	02/27/2015	13:40:24	0.039
367	02/27/2015	13:41:24	0.037
368	02/27/2015	13:42:24	0.039
369	02/27/2015	13:43:24	0.042
370	02/27/2015	13:44:24	0.039
371	02/27/2015	13:45:24	0.040
372	02/27/2015	13:46:24	0.040
373	02/27/2015	13:47:24	0.043
374	02/27/2015	13:48:24	0.049
375	02/27/2015	13:49:24	0.043
376	02/27/2015	13:50:24	0.042
377	02/27/2015	13:51:24	0.043
378	02/27/2015	13:52:24	0.043
379	02/27/2015	13:53:24	0.042
380	02/27/2015	13:54:24	0.040
381	02/27/2015	13:55:24	0.041
382	02/27/2015	13:56:24	0.040
383	02/27/2015	13:57:24	0.039
384	02/27/2015	13:58:24	0.041
385	02/27/2015	13:59:24	0.041
386	02/27/2015	14:00:24	0.047
387	02/27/2015	14:01:24	0.042
388	02/27/2015	14:02:24	0.041
389	02/27/2015	14:03:24	0.041
390	02/27/2015	14:04:24	0.046
391	02/27/2015	14:05:24	0.041
392	02/27/2015	14:06:24	0.042
393	02/27/2015	14:07:24	0.042
394	02/27/2015	14:08:24	0.043
395	02/27/2015	14:09:24	0.042
396	02/27/2015	14:10:24	0.043
397	02/27/2015	14:11:24	0.043
398	02/27/2015	14:12:24	0.045
399	02/27/2015	14:13:24	0.043
400	02/27/2015	14:14:24	0.046
401	02/27/2015	14:15:24	0.044
402	02/27/2015	14:16:24	0.044
403	02/27/2015	14:17:24	0.046

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
404	02/27/2015	14:18:24	0.047
405	02/27/2015	14:19:24	0.045
406	02/27/2015	14:20:24	0.045
407	02/27/2015	14:21:24	0.045
408	02/27/2015	14:22:24	0.044
409	02/27/2015	14:23:24	0.045
410	02/27/2015	14:24:24	0.043
411	02/27/2015	14:25:24	0.044
412	02/27/2015	14:26:24	0.042
413	02/27/2015	14:27:24	0.042
414	02/27/2015	14:28:24	0.044
415	02/27/2015	14:29:24	0.043
416	02/27/2015	14:30:24	0.044
417	02/27/2015	14:31:24	0.043
418	02/27/2015	14:32:24	0.043
419	02/27/2015	14:33:24	0.044
420	02/27/2015	14:34:24	0.043
421	02/27/2015	14:35:24	0.044
422	02/27/2015	14:36:24	0.043
423	02/27/2015	14:37:24	0.041
424	02/27/2015	14:38:24	0.041
425	02/27/2015	14:39:24	0.041
426	02/27/2015	14:40:24	0.040
427	02/27/2015	14:41:24	0.043
428	02/27/2015	14:42:24	0.040
429	02/27/2015	14:43:24	0.046
430	02/27/2015	14:44:24	0.039
431	02/27/2015	14:45:24	0.039
432	02/27/2015	14:46:24	0.038
433	02/27/2015	14:47:24	0.038
434	02/27/2015	14:48:24	0.037
435	02/27/2015	14:49:24	0.037
436	02/27/2015	14:50:24	0.037
437	02/27/2015	14:51:24	0.038
438	02/27/2015	14:52:24	0.036
439	02/27/2015	14:53:24	0.034
440	02/27/2015	14:54:24	0.034
441	02/27/2015	14:55:24	0.035
442	02/27/2015	14:56:24	0.036
443	02/27/2015	14:57:24	0.037
444	02/27/2015	14:58:24	0.038
445	02/27/2015	14:59:24	0.038
446	02/27/2015	15:00:24	0.036
447	02/27/2015	15:01:24	0.037
448	02/27/2015	15:02:24	0.035
449	02/27/2015	15:03:24	0.039

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
450	02/27/2015	15:04:24	0.042
451	02/27/2015	15:05:24	0.042
452	02/27/2015	15:06:24	0.038
453	02/27/2015	15:07:24	0.036
454	02/27/2015	15:08:24	0.037
455	02/27/2015	15:09:24	0.034
456	02/27/2015	15:10:24	0.036
457	02/27/2015	15:11:24	0.035
458	02/27/2015	15:12:24	0.035
459	02/27/2015	15:13:24	0.037
460	02/27/2015	15:14:24	0.036
461	02/27/2015	15:15:24	0.036
462	02/27/2015	15:16:24	0.035
463	02/27/2015	15:17:24	0.036
464	02/27/2015	15:18:24	0.036
465	02/27/2015	15:19:24	0.034
466	02/27/2015	15:20:24	0.036
467	02/27/2015	15:21:24	0.035
468	02/27/2015	15:22:24	0.040
469	02/27/2015	15:23:24	0.042
470	02/27/2015	15:24:24	0.038
471	02/27/2015	15:25:24	0.034
472	02/27/2015	15:26:24	0.034
473	02/27/2015	15:27:24	0.035
474	02/27/2015	15:28:24	0.035
475	02/27/2015	15:29:24	0.037
476	02/27/2015	15:30:24	0.036
477	02/27/2015	15:31:24	0.035
478	02/27/2015	15:32:24	0.035
479	02/27/2015	15:33:24	0.035
480	02/27/2015	15:34:24	0.038
481	02/27/2015	15:35:24	0.036
482	02/27/2015	15:36:24	0.036
483	02/27/2015	15:37:24	0.036
484	02/27/2015	15:38:24	0.036
485	02/27/2015	15:39:24	0.034
486	02/27/2015	15:40:24	0.035
487	02/27/2015	15:41:24	0.034
488	02/27/2015	15:42:24	0.033
489	02/27/2015	15:43:24	0.034
490	02/27/2015	15:44:24	0.035
491	02/27/2015	15:45:24	0.036
492	02/27/2015	15:46:24	0.037
493	02/27/2015	15:47:24	0.034
494	02/27/2015	15:48:24	0.033
495	02/27/2015	15:49:24	0.035

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
496	02/27/2015	15:50:24	0.033
497	02/27/2015	15:51:24	0.031
498	02/27/2015	15:52:24	0.032
499	02/27/2015	15:53:24	0.031
500	02/27/2015	15:54:24	0.033
501	02/27/2015	15:55:24	0.035
502	02/27/2015	15:56:24	0.035
503	02/27/2015	15:57:24	0.034
504	02/27/2015	15:58:24	0.034
505	02/27/2015	15:59:24	0.033
506	02/27/2015	16:00:24	0.033
507	02/27/2015	16:01:24	0.032
508	02/27/2015	16:02:24	0.035
509	02/27/2015	16:03:24	0.035
510	02/27/2015	16:04:24	0.033
511	02/27/2015	16:05:24	0.035
512	02/27/2015	16:06:24	0.037
513	02/27/2015	16:07:24	0.033
514	02/27/2015	16:08:24	0.033
515	02/27/2015	16:09:24	0.032
516	02/27/2015	16:10:24	0.031
517	02/27/2015	16:11:24	0.030
518	02/27/2015	16:12:24	0.030
519	02/27/2015	16:13:24	0.030
520	02/27/2015	16:14:24	0.031
521	02/27/2015	16:15:24	0.032
522	02/27/2015	16:16:24	0.032
523	02/27/2015	16:17:24	0.034
524	02/27/2015	16:18:24	0.030

Test 001

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/27/2015
Instrument S/N	8530104301	Start Time	07:27:30
		Stop Date	02/27/2015
		Stop Time	08:39:30
		Total Time	0:01:12:00
		Logging Interval	60 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	02/27/2015	07:28:30	0.065
2	02/27/2015	07:29:30	0.063
3	02/27/2015	07:30:30	0.062
4	02/27/2015	07:31:30	0.065
5	02/27/2015	07:32:30	0.061
6	02/27/2015	07:33:30	0.056
7	02/27/2015	07:34:30	0.057
8	02/27/2015	07:35:30	0.058
9	02/27/2015	07:36:30	0.059
10	02/27/2015	07:37:30	0.060
11	02/27/2015	07:38:30	0.055
12	02/27/2015	07:39:30	0.052
13	02/27/2015	07:40:30	0.052
14	02/27/2015	07:41:30	0.052
15	02/27/2015	07:42:30	0.051
16	02/27/2015	07:43:30	0.049
17	02/27/2015	07:44:30	0.049
18	02/27/2015	07:45:30	0.064
19	02/27/2015	07:46:30	0.051
20	02/27/2015	07:47:30	0.049
21	02/27/2015	07:48:30	0.045
22	02/27/2015	07:49:30	0.045
23	02/27/2015	07:50:30	0.045
24	02/27/2015	07:51:30	0.045
25	02/27/2015	07:52:30	0.042
26	02/27/2015	07:53:30	0.042
27	02/27/2015	07:54:30	0.050
28	02/27/2015	07:55:30	0.054
29	02/27/2015	07:56:30	0.061
30	02/27/2015	07:57:30	0.047
31	02/27/2015	07:58:30	0.047
32	02/27/2015	07:59:30	0.044
33	02/27/2015	08:00:30	0.045
34	02/27/2015	08:01:30	0.054

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
35	02/27/2015	08:02:30	0.046
36	02/27/2015	08:03:30	0.040
37	02/27/2015	08:04:30	0.042
38	02/27/2015	08:05:30	0.041
39	02/27/2015	08:06:30	0.043
40	02/27/2015	08:07:30	0.042
41	02/27/2015	08:08:30	0.040
42	02/27/2015	08:09:30	0.040
43	02/27/2015	08:10:30	0.044
44	02/27/2015	08:11:30	0.048
45	02/27/2015	08:12:30	0.048
46	02/27/2015	08:13:30	0.051
47	02/27/2015	08:14:30	0.067
48	02/27/2015	08:15:30	0.057
49	02/27/2015	08:16:30	0.048
50	02/27/2015	08:17:30	0.058
51	02/27/2015	08:18:30	0.047
52	02/27/2015	08:19:30	0.039
53	02/27/2015	08:20:30	0.038
54	02/27/2015	08:21:30	0.041
55	02/27/2015	08:22:30	0.039
56	02/27/2015	08:23:30	0.040
57	02/27/2015	08:24:30	0.040
58	02/27/2015	08:25:30	0.039
59	02/27/2015	08:26:30	0.046
60	02/27/2015	08:27:30	0.045
61	02/27/2015	08:28:30	0.031
62	02/27/2015	08:29:30	0.017
63	02/27/2015	08:30:30	0.021
64	02/27/2015	08:31:30	0.038
65	02/27/2015	08:32:30	0.041
66	02/27/2015	08:33:30	0.063
67	02/27/2015	08:34:30	0.040
68	02/27/2015	08:35:30	0.036
69	02/27/2015	08:36:30	0.017
70	02/27/2015	08:37:30	0.029
71	02/27/2015	08:38:30	0.034
72	02/27/2015	08:39:30	0.028

Monitoring Results / Reports
(Monday, March 2, 2015)

ACTIVITY	SERIAL NUMBER	LOCATION
EX-83 RCRA RFI Soil Sampling (TB-28D)	8530110315	UPWIND
EX-83 RCRA RFI Soil Sampling (TB-28D)	8530141712	DOWNWIND



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

3/2/2015 Work Area EX-83

Test 050

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/02/2015
Instrument S/N	8530110315	Start Time	09:58:15
		Stop Date	03/02/2015
		Stop Time	15:43:15
		Total Time	0:05:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	03/02/2015	10:13:15	0.014
2	03/02/2015	10:28:15	0.012
3	03/02/2015	10:43:15	0.012
4	03/02/2015	10:58:15	0.012
5	03/02/2015	11:13:15	0.015
6	03/02/2015	11:28:15	0.016
7	03/02/2015	11:43:15	0.017
8	03/02/2015	11:58:15	0.015
9	03/02/2015	12:13:15	0.011
10	03/02/2015	12:28:15	0.007
11	03/02/2015	12:43:15	0.007
12	03/02/2015	12:58:15	0.005
13	03/02/2015	13:13:15	0.006
14	03/02/2015	13:28:15	0.011
15	03/02/2015	13:43:15	0.013
16	03/02/2015	13:58:15	0.035
17	03/02/2015	14:13:15	0.025
18	03/02/2015	14:28:15	0.007
19	03/02/2015	14:43:15	0.007
20	03/02/2015	14:58:15	0.011
21	03/02/2015	15:13:15	0.022
22	03/02/2015	15:28:15	0.008
23	03/02/2015	15:43:15	0.006

Test 032

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/02/2015
Instrument S/N	8530141712	Start Time	09:55:17
		Stop Date	03/02/2015
		Stop Time	15:55:17
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	03/02/2015	10:10:17	0.041
2	03/02/2015	10:25:17	0.042
3	03/02/2015	10:40:17	0.048
4	03/02/2015	10:55:17	0.045
5	03/02/2015	11:10:17	0.052
6	03/02/2015	11:25:17	0.047
7	03/02/2015	11:40:17	0.047
8	03/02/2015	11:55:17	0.043
9	03/02/2015	12:10:17	0.038
10	03/02/2015	12:25:17	0.034
11	03/02/2015	12:40:17	0.032
12	03/02/2015	12:55:17	0.030
13	03/02/2015	13:10:17	0.032
14	03/02/2015	13:25:17	0.033
15	03/02/2015	13:40:17	0.026
16	03/02/2015	13:55:17	0.038
17	03/02/2015	14:10:17	0.039
18	03/02/2015	14:25:17	0.023
19	03/02/2015	14:40:17	0.022
20	03/02/2015	14:55:17	0.025
21	03/02/2015	15:10:17	0.035
22	03/02/2015	15:25:17	0.030
23	03/02/2015	15:40:17	0.027
24	03/02/2015	15:55:17	0.036

Monitoring Results / Reports
(Tuesday, March 3, 2015)

ACTIVITY	SERIAL NUMBER	LOCATION
EX-83 RCRA RFI Soil Sampling (TB-24D)	8530110315	UPWIND
EX-83 RCRA RFI Soil Sampling (TB-24D)	8530132205	DOWNWIND



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

3/3/2015 Work Area EX-83

Test 051

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/03/2015
Instrument S/N	8530110315	Start Time	07:59:33
		Stop Date	03/03/2015
		Stop Time	16:29:33
		Total Time	0:08:30:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	03/03/2015	08:14:33	0.011
2	03/03/2015	08:29:33	0.013
3	03/03/2015	08:44:33	0.012
4	03/03/2015	08:59:33	0.018
5	03/03/2015	09:14:33	0.015
6	03/03/2015	09:29:33	0.009
7	03/03/2015	09:44:33	0.023
8	03/03/2015	09:59:33	0.021
9	03/03/2015	10:14:33	0.007
10	03/03/2015	10:29:33	0.022
11	03/03/2015	10:44:33	0.009
12	03/03/2015	10:59:33	0.007
13	03/03/2015	11:14:33	0.007
14	03/03/2015	11:29:33	0.008
15	03/03/2015	11:44:33	0.009
16	03/03/2015	11:59:33	0.012
17	03/03/2015	12:14:33	0.010
18	03/03/2015	12:29:33	0.012
19	03/03/2015	12:44:33	0.037
20	03/03/2015	12:59:33	0.028
21	03/03/2015	13:14:33	0.021
22	03/03/2015	13:29:33	0.013
23	03/03/2015	13:44:33	0.013
24	03/03/2015	13:59:33	0.011
25	03/03/2015	14:14:33	0.011
26	03/03/2015	14:29:33	0.010
27	03/03/2015	14:44:33	0.010
28	03/03/2015	14:59:33	0.010
29	03/03/2015	15:14:33	0.009
30	03/03/2015	15:29:33	0.007
31	03/03/2015	15:44:33	0.007
32	03/03/2015	15:59:33	0.007
33	03/03/2015	16:14:33	0.007
34	03/03/2015	16:29:33	0.007


Test 033

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/03/2015
Instrument S/N	8530132205	Start Time	08:49:29
		Stop Date	03/03/2015
		Stop Time	16:34:29
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	03/03/2015	09:04:29	0.025
2	03/03/2015	09:19:29	0.014
3	03/03/2015	09:34:29	0.012
4	03/03/2015	09:49:29	0.015
5	03/03/2015	10:04:29	0.014
6	03/03/2015	10:19:29	0.008
7	03/03/2015	10:34:29	0.013
8	03/03/2015	10:49:29	0.008
9	03/03/2015	11:04:29	0.009
10	03/03/2015	11:19:29	0.009
11	03/03/2015	11:34:29	0.010
12	03/03/2015	11:49:29	0.012
13	03/03/2015	12:04:29	0.016
14	03/03/2015	12:19:29	0.012
15	03/03/2015	12:34:29	0.018
16	03/03/2015	12:49:29	0.019
17	03/03/2015	13:04:29	0.018
18	03/03/2015	13:19:29	0.021
19	03/03/2015	13:34:29	0.018
20	03/03/2015	13:49:29	0.015
21	03/03/2015	14:04:29	0.013
22	03/03/2015	14:19:29	0.013
23	03/03/2015	14:34:29	0.013
24	03/03/2015	14:49:29	0.013
25	03/03/2015	15:04:29	0.012
26	03/03/2015	15:19:29	0.011
27	03/03/2015	15:34:29	0.010
28	03/03/2015	15:49:29	0.010
29	03/03/2015	16:04:29	0.010
30	03/03/2015	16:19:29	0.009
31	03/03/2015	16:34:29	0.009

Monitoring Results / Reports
(Wednesday, March 4, 2015)

ACTIVITY	SERIAL NUMBER	LOCATION
EX-83 RCRA RFI Soil Sampling (TB-24D)	8530142303	UPWIND
EX-83 RCRA RFI Soil Sampling (TB-24D)	8533132902	DOWNWIND
EX-83 RCRA RFI Soil Sampling (TB-35D)	8533132902	UPWIND
EX-83 RCRA RFI Soil Sampling (TB-35D)	8530142303	DOWNWIND
EX-92 Removal and Shipment of Reverb Feed	8530110315	West of Roll Up Door
EX-92 Removal and Shipment of Reverb Feed	8530113011	East of Roll Up Door
EX-92 Removal and Shipment of Reverb Feed	8530132205	Bandini Gate



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

3/4/2015 Work Area EX-83 & EX-92

Test 052

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/04/2015
Instrument S/N	8530110315	Start Time	05:59:25
		Stop Date	03/04/2015
		Stop Time	13:14:25
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	03/04/2015	06:14:25	0.020
2	03/04/2015	06:29:25	0.023
3	03/04/2015	06:44:25	0.026
4	03/04/2015	06:59:25	0.029
5	03/04/2015	07:14:25	0.035
6	03/04/2015	07:29:25	0.035
7	03/04/2015	07:44:25	0.030
8	03/04/2015	07:59:25	0.033
9	03/04/2015	08:14:25	0.035
10	03/04/2015	08:29:25	0.033
11	03/04/2015	08:44:25	0.030
12	03/04/2015	08:59:25	0.028
13	03/04/2015	09:14:25	0.026
14	03/04/2015	09:29:25	0.026
15	03/04/2015	09:44:25	0.025
16	03/04/2015	09:59:25	0.029
17	03/04/2015	10:14:25	0.031
18	03/04/2015	10:29:25	0.033
19	03/04/2015	10:44:25	0.031
20	03/04/2015	10:59:25	0.035
21	03/04/2015	11:14:25	0.035
22	03/04/2015	11:29:25	0.031
23	03/04/2015	11:44:25	0.027
24	03/04/2015	11:59:25	0.024
25	03/04/2015	12:14:25	0.022
26	03/04/2015	12:29:25	0.022
27	03/04/2015	12:44:25	0.023
28	03/04/2015	12:59:25	0.030
29	03/04/2015	13:14:25	0.018

Test 070

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/04/2015
Instrument S/N	8530113011	Start Time	06:05:34
		Stop Date	03/04/2015
		Stop Time	13:20:34
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	03/04/2015	06:20:34	0.019
2	03/04/2015	06:35:34	0.021
3	03/04/2015	06:50:34	0.026
4	03/04/2015	07:05:34	0.029
5	03/04/2015	07:20:34	0.035
6	03/04/2015	07:35:34	0.032
7	03/04/2015	07:50:34	0.028
8	03/04/2015	08:05:34	0.032
9	03/04/2015	08:20:34	0.032
10	03/04/2015	08:35:34	0.029
11	03/04/2015	08:50:34	0.028
12	03/04/2015	09:05:34	0.026
13	03/04/2015	09:20:34	0.024
14	03/04/2015	09:35:34	0.025
15	03/04/2015	09:50:34	0.024
16	03/04/2015	10:05:34	0.028
17	03/04/2015	10:20:34	0.031
18	03/04/2015	10:35:34	0.031
19	03/04/2015	10:50:34	0.031
20	03/04/2015	11:05:34	0.034
21	03/04/2015	11:20:34	0.033
22	03/04/2015	11:35:34	0.030
23	03/04/2015	11:50:34	0.025
24	03/04/2015	12:05:34	0.024
25	03/04/2015	12:20:34	0.023
26	03/04/2015	12:35:34	0.022
27	03/04/2015	12:50:34	0.025
28	03/04/2015	13:05:34	0.030
29	03/04/2015	13:20:34	0.017

Test 034

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/04/2015
Instrument S/N	8530132205	Start Time	06:21:38
		Stop Date	03/04/2015
		Stop Time	13:21:38
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	03/04/2015	06:36:38	0.037
2	03/04/2015	06:51:38	0.034
3	03/04/2015	07:06:38	0.037
4	03/04/2015	07:21:38	0.038
5	03/04/2015	07:36:38	0.039
6	03/04/2015	07:51:38	0.037
7	03/04/2015	08:06:38	0.037
8	03/04/2015	08:21:38	0.039
9	03/04/2015	08:36:38	0.032
10	03/04/2015	08:51:38	0.032
11	03/04/2015	09:06:38	0.029
12	03/04/2015	09:21:38	0.031
13	03/04/2015	09:36:38	0.027
14	03/04/2015	09:51:38	0.033
15	03/04/2015	10:06:38	0.031
16	03/04/2015	10:21:38	0.036
17	03/04/2015	10:36:38	0.034
18	03/04/2015	10:51:38	0.037
19	03/04/2015	11:06:38	0.039
20	03/04/2015	11:21:38	0.035
21	03/04/2015	11:36:38	0.032
22	03/04/2015	11:51:38	0.027
23	03/04/2015	12:06:38	0.028
24	03/04/2015	12:21:38	0.027
25	03/04/2015	12:36:38	0.025
26	03/04/2015	12:51:38	0.028
27	03/04/2015	13:06:38	0.030
28	03/04/2015	13:21:38	0.017

Test 066

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	03/04/2015
Instrument S/N	8533132902	Start Time	08:55:10
		Stop Date	03/04/2015
		Stop Time	10:25:10
		Total Time	0:01:30:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	03/04/2015	09:10:10	0.038	0.039	0.040	0.042	0.042
2	03/04/2015	09:25:10	0.021	0.022	0.023	0.024	0.024
3	03/04/2015	09:40:10	0.016	0.017	0.017	0.018	0.018
4	03/04/2015	09:55:10	0.021	0.021	0.022	0.022	0.022
5	03/04/2015	10:10:10	0.022	0.023	0.023	0.024	0.024
6	03/04/2015	10:25:10	0.025	0.026	0.026	0.027	0.027

Test 067

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	03/04/2015
Instrument S/N	8533132902	Start Time	12:51:07
		Stop Date	03/04/2015
		Stop Time	15:51:07
		Total Time	0:03:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	03/04/2015	13:06:07	0.020	0.021	0.021	0.023	0.023
2	03/04/2015	13:21:07	0.012	0.013	0.013	0.013	0.013
3	03/04/2015	13:36:07	0.009	0.010	0.010	0.011	0.011
4	03/04/2015	13:51:07	0.009	0.010	0.010	0.010	0.010
5	03/04/2015	14:06:07	0.017	0.018	0.018	0.019	0.019
6	03/04/2015	14:21:07	0.012	0.013	0.013	0.014	0.014
7	03/04/2015	14:36:07	0.013	0.013	0.014	0.014	0.014
8	03/04/2015	14:51:07	0.019	0.020	0.020	0.021	0.021
9	03/04/2015	15:06:07	0.014	0.014	0.015	0.015	0.015
10	03/04/2015	15:21:07	0.011	0.012	0.012	0.013	0.013
11	03/04/2015	15:36:07	0.012	0.012	0.013	0.013	0.013
12	03/04/2015	15:51:07	0.011	0.011	0.012	0.012	0.012

Test 062

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/04/2015
Instrument S/N	8530142303	Start Time	06:41:31
		Stop Date	03/04/2015
		Stop Time	10:26:31
		Total Time	0:03:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	03/04/2015	06:56:31	0.047
2	03/04/2015	07:11:31	0.051
3	03/04/2015	07:26:31	0.054
4	03/04/2015	07:41:31	0.079
5	03/04/2015	07:56:31	0.100
6	03/04/2015	08:11:31	0.086
7	03/04/2015	08:26:31	0.051
8	03/04/2015	08:41:31	0.043
9	03/04/2015	08:56:31	0.047
10	03/04/2015	09:11:31	0.091
11	03/04/2015	09:26:31	0.034
12	03/04/2015	09:41:31	0.029
13	03/04/2015	09:56:31	0.037
14	03/04/2015	10:11:31	0.040
15	03/04/2015	10:26:31	0.044

Test 063

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/04/2015
Instrument S/N	8530142303	Start Time	13:12:07
		Stop Date	03/04/2015
		Stop Time	15:57:07
		Total Time	0:02:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m ³
1	03/04/2015	13:27:07	0.011
2	03/04/2015	13:42:07	0.011
3	03/04/2015	13:57:07	0.010
4	03/04/2015	14:12:07	0.020
5	03/04/2015	14:27:07	0.015
6	03/04/2015	14:42:07	0.019
7	03/04/2015	14:57:07	0.024
8	03/04/2015	15:12:07	0.017
9	03/04/2015	15:27:07	0.014
10	03/04/2015	15:42:07	0.014
11	03/04/2015	15:57:07	0.013